

II. AMENDMENTS TO THE CLAIMS

The following listing of claims is the same as the previous version. It is provided as a courtesy:

1. (Currently Amended) A method for formatting a plurality of source text files each having specific formats to be imported into a single spreadsheet file comprising the steps of:

a) selecting a user modifiable file format profile to be associated to each of the plurality of source text files, wherein each source text file comprises a file recognized by a spreadsheet program as a text file, the plurality of file format profiles each including ~~at least one identifier~~ a plurality of identifiers each with a corresponding formatting instruction, wherein each identifier generates a unique action in the spreadsheet file, wherein the file format profile is configured to be used to format the single spreadsheet file;

b) creating a source-format link between the plurality of source text files and the selected plurality of file format profiles, wherein the source-format link stores a format action applied to the spreadsheet file after an importing;

c) importing the plurality of source text files into the single spreadsheet file after the creating the source-format link;

d) creating a location link between the imported plurality of source text files and their locations into the single spreadsheet file after the importing, wherein the location link comprises a directory path of the source text files and contains a related location and a size of each of the imported plurality of source text files;

e) storing the location link into a spreadsheet user profile database after the creating; and

f) [[c]] applying the selected plurality of file format profiles to the imported plurality of source text files by using the source-format link and the location link.

2. (Original) The method of claim 1 further comprising before step a) a step of creating at least one file format profile including at least one identifier with a corresponding formatting instruction.
3. (Original) The method of claim 2 further comprising a step of storing the created at least one file format profile into a file format profile database.
4. (Original) The method of claim 1 further comprising after step a) the step of modifying the selected file format profile.
5. (Original) The method of claim 4 further comprising a step of storing the modified selected file format profile into the file format profile database.
6. (Cancelled).
7. (Original) The method of claim 1 wherein the spreadsheet file is created by a spreadsheet program.
8. (Currently Amended) The method of claim 1 further comprising after step [[e)] f) a step of deleting the location link.
9. (Currently Amended) A system for formatting a plurality of source text files each having specific formats to be imported into a single spreadsheet file comprising:

a) a system for selecting a user modifiable file format profile to be associated to [[a]] each of the plurality of source text files, wherein each source text file comprises a file recognized by a spreadsheet program as a text file, the file format profile including at least one identifier a plurality of identifiers each with a corresponding formatting instruction, wherein each identifier generates a unique action in the spreadsheet file, wherein the file format profile is configured to be used to format the single spreadsheet file;

b) a system for creating a source-format link between the source text file and the selected file format profile, wherein the source-format link stores a format action applied to the spreadsheet file after an importing;

c) a system for importing the source text file into the single spreadsheet file after the creating;

d) a system for creating a location link between the imported source text file and its location into the single spreadsheet file after the importing, wherein the location link comprises a directory path of the source text files and contains a related location and a size of each of the imported plurality of source text files;

e) a system for storing the location link into a spreadsheet user profile database after the creating; and

[[e)]] f) a system for applying the selected file format profile to the imported source text file by using the source-format link and the location link.

10. (Currently Amended) A computer program product stored on computer usable medium for formatting a plurality of source text files each having specific formats to be

imported into a single spreadsheet file, comprising computer readable program means for causing a computer to perform the steps of:

a) selecting a user modifiable file format profile to be associated to the source text file, wherein each source text file comprises a file recognized by a spreadsheet program as a text file, the file format profile including at least one identifier a plurality of identifiers each with a corresponding formatting instruction, wherein each identifier generates a unique action in the spreadsheet file, wherein the file format profile is configured to be used to format the single spreadsheet file;

b) creating a source-format link between the source text file and the selected file format profile, wherein the source-format link stores a format action applied to the spreadsheet file after an importing;

c) importing the source text file into the single spreadsheet file after the creating the source-format link;

d) creating a location link between the imported source text file and its location into the single spreadsheet file after the importing, wherein the location link comprises a directory path of the source text files and contains a related location and a size of each of the imported plurality of source text files;

e) storing the location link into a spreadsheet user profile database after the creating; and

[[e)] f) applying the selected file format profile to the imported source text file by using the source-format link and the location link.

11. Cancelled.
12. Cancelled.
13. Cancelled.
14. Cancelled.
15. Cancelled.
16. (Previously Presented) The method of claim 1, wherein the applying further comprises executing a set of formatting instructions based on the at least one identifier contained in the file format profile.
17. (Previously Presented) The method of claim 8, further comprising updating a spreadsheet user profile to correspond with the deletion.